



# SAFETY DATA SHEET

Date Issued: 01-27-2016  
Supersedes: 04-27-2015

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Name:** Triple Power™  
**Product Number:** BPR391001-B and BPR391005-B  
**Brand:** Brighton Professional™

**Recommended use:** Multipurpose Cleaner  
**Uses advised against:** Uses other than those identified on the product label are not recommended.

**Supplier Name:** Staples Contract & Commercial, Inc.  
**Supplier Address:** 500 Staples Drive  
Framingham MA 01702 USA  
**Supplier Phone Number:** 1-888-322-0912  
**SDS Internet Address:** <http://sds.staples.com>  
**Emergency telephone number:** 1-888-322-0912

## 2. HAZARDS IDENTIFICATION

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

### Classification for the Undiluted Product

Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1

### GHS Label elements, including precautionary statements

#### Emergency Overview:



**Signal word:** Danger

**Hazard Statements:** Causes severe skin burns and eye damage.

**Precautionary Statements – Prevention:** Do not breathe mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing immediately. Call a poison center or doctor/physician.

**IF ON SKIN (or hair):** Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.

**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician

**IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting

**Hazards not otherwise classified (HNOC):** Not applicable

**Other information:** Harmful to aquatic life with long lasting effects.

**Interactions with Other Chemicals:** Use of alcoholic beverages may enhance toxic effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethanolamine	141-43-5	1 – 10
Surfactant concentrate	Trade secret	1 – 10
Propoxypropanol	1569-01-3	1 - 10
Dipropylene glycol butyl ether	29911-28-2	1 -10
Tetrasodium EDTA	64-02-8	0.1 – 1

Balance is water and similar non-hazardous ingredients. Fragrance. added.

### 4. FIRST AID MEASURES

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.

**Ingestion:** Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

**Self-protection:  
of the first aider:** Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

**Most Important Symptoms and Effects:** Burning sensation.

**Notes to Physician:** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** Dry chemical, CO<sub>2</sub> or water spray. Dry chemical, CO<sub>2</sub>, alcohol-resistant foam or water spray. Move containers from fire area if you can do it without risk.

**Unsuitable extinguishing media:** CAUTION: Use of water spray when fighting fire may be inefficient.

**Specific Hazards Arising from the Chemical:** This product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

**Uniform Fire Code:** CORROSIVE: BASE-LIQUID. Compostable Liquide: III-B

**Hazardous Combustion Products:** Carbon oxides.

**Explosion Data**

**Sensitivity to Mechanical Impact:** No.

**Sensitivity to Static Discharge:** No.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
<b>Environmental Precautions</b>	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

<b>Handling:</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.
<b>Storage:</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
<b>Incompatible Products:</b>	Acids. Bases. Oxidizing agent.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

**Exposure Guidelines**

Chemical Name / CAS#	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m <sup>3</sup>	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>

*ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health*

**Engineering Measures:** General ventilation normally adequate.

**Individual protection measures, such as personal protective equipment**

<b>Eye / Face Protection:</b>	Wear splash-proof, chemical-resistant goggles.
<b>Skin and Body Protection:</b>	Wear chemical-resistant gloves and long sleeved clothing.
<b>Respiratory Protection:</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>Hygiene Measures</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical Properties:

**Physical state:** Liquid  
**Color:** Blue

**Odor:** Grape  
**Odor Threshold:** No data available

### Chemical Properties

<u>Chemical Properties</u>	<u>Values</u>
pH (Conc.)	10.0 – 11.5
Melting / freezing point	No data available
Boiling point /boiling range	No data available
Flash Point	No data available
Evaporation Rate	No data available
Flammability	No data available
Lower flammability limit	No data available
Vapor density	No data available
Specific Gravity	1.006
Water Solubility	Soluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Softening Point	No data available
VOC Content (by wt)	14.39% (143.9 g/L)
Particle Size	No data available
Particle Size Distribution	No data available

When diluted according to label directions, this product is compliant with California Air Resources Board (CARB) regulations on Volatile Organic Compounds (VOC).

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	No data available.
<b>Chemical Stability</b>	Stable under recommended storage conditions.
<b>Possibility of Hazardous Reactions</b>	None under normal processing.
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Conditions to Avoid</b>	None known.
<b>Incompatible Materials</b>	Acids. Bases. Oxidizing agent.
<b>Hazardous Decomposition Products</b>	Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

<b>Inhalation</b>	Specific test data for the product is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
<b>Eye Contact</b>	Specific test data for the product is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
<b>Skin Contact</b>	Specific test data for the product is not available. Corrosive. (based on components). Causes burns.
<b>Ingestion</b>	Specific test data for the product is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease.

Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Component Information

Chemical Name / CAS#	Oral LD50	Dermal LD50	Inhalation LC50
Ethanolamine 141-43-5	= 1720 mg/kg ( Rat )	= 1 mL/kg ( Rabbit )	-
Dipropylene glycol butyl ether 29911-28-2	= 1620 mg/kg ( Rat )	= 5860 uL/kg ( Rabbit )	=42.1 ppm (Rat) 4h
Surfactant concentrate	< 5000 mg/kg (Rat) < 8300 mg/kg (Rat)	> 1600 mg/kg (Rat)	0.237 mg/L (Rat) 4 h

### Information on toxicological effects

**Symptoms** Erythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.  
**Mutagenic Effects** No information available.  
**Carcinogenicity** Contains no ingredient listed as a carcinogen.  
**Reproductive Toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Chronic Toxicity** Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen.  
**Target Organ Effects** Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Central Nervous System (CNS). Digestive System. Kidney. Liver. Testes.  
**Aspiration Hazard** No information available.

### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral): 6,943.00 mg/kg  
 ATEmix (dermal): 11,824.90 mg/kg (ATE)  
 ATEmix (inhalation-gas): 57,442.00 ppm (4 hr)  
 ATEmix (inhalation-dust/mist): 19.10 mg/l  
 ATEmix (inhalation-vapor): 140.00 mr/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity:

Harmful to aquatic life with long lasting effects.

Chemical Name / CAS#	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water)
Ethanolamine 141-43-5	72h EC50: = 15 mg/L (Desmodesmus subspicatus)	96h LC50: = 3684 mg/L (Brachydanio rerio) 96h LC50: 300 - 1000 mg/L (Lepomis macrochirus) 96h LC50: 114 - 196 mg/L (Oncorhynchus mykiss) 96h LC50: > 200 mg/L (Oncorhynchus mykiss) 96h LC50: = 227 mg/L (Pimephales promelas)	EC50 = 110 mg/L 17 h EC50 = 12200 mg/L 2 h EC50 = 13.7 mg/L 30 min	48h EC50: = 65 mg/L
Dipropylene glycol butyl ether 29911-28-2		96h LC50: = 841 mg/L (Poecilia reticulata)		
Surfactant Concentrate		96h LC50: = 1.04 mg/L (Poecilia reticulata)		

**Persistence and Degradability:** No information available.

**Bioaccumulation:**

Chemical Name / CAS#	Log Pow
Ethanolamine 141-43-5	-1.91

**Other adverse effects:** No information available.

### 13. DISPOSAL CONSIDERATIONS

**Disposal methods:** This material is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

### 14. TRANSPORT INFORMATION

**24-HR EMERGENCY PHONE: 1-888-322-0912**

**DOT/ TDG/ MEX/ ICAO/ IATA/ IMDG/IMO:**

<b>UN-No.</b>	UN3267
<b>Proper Shipping Name</b>	Corrosive Liquid, Basic, Organic, N.O.S. (Ethanolamine, Hydrogen peroxide)
<b>Hazard Class</b>	8
<b>Packing Group</b>	III
<b>Description</b>	UN3267, Corrosive Liquid, Basic, Organic, N.O.S. (Ethanolamine, Hydrogen Peroxide), 8, III
<b>Packaging exceptions</b>	When packaged in containers of 5L (1.3 gallons) or less, this product may be shipped under the 49 CFR 173.150 packaging exemption for Limited Quantity
<b>Emergency Response Guide #</b>	153
<b>EmS-No. (IMDG/IMO)</b>	F-A, S-B

### 15. REGULATORY INFORMATION

<b>TSCA (US)</b>	Complies
<b>DSL (Canada)</b>	All components are listed either on the DSL or NDSL.

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	No
<b>Fire Hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name / CAS#	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethanolamine 141-43-5	X	X	X		X

**International Regulations**

Canada

<b>16. OTHER INFORMATION</b>
------------------------------

<b>NFPA</b>	<b>Health Hazards 3</b>	<b>Flammability 1</b>	<b>Instability 0</b>	<b>Physical &amp; chemical Hazards 0</b>
<b>HMIS</b>	<b>Health Hazards 3</b>	<b>Flammability 1</b>	<b>Physical Hazard 0</b>	<b>Personal protection X</b>

**Prepared By:** Regulatory Specialist, Staples Brand Group, (508) 253-5000

Always follow label directions carefully when using this or any other chemical product. If information about this product is required, please contact Staples at 1-888-322-0912 or visit our website at [www.staplesadvantage.com](http://www.staplesadvantage.com). Keep Safety Data Sheets filed and organized in an area accessible to workers according to all applicable regulations.

*All information contained in this SDS is provided to the best of Staples Contract & Commercial Inc's knowledge. No warranty is made with respect to this information expressed or implied, including warranties of merchantability or fitness for a particular purpose. Users are responsible for verifying the information under their own operating conditions to determine whether the products listed in the SDS are suitable for their intended use. Users are responsible for compliance with all laws and regulations as may be required by their receipt of the information and use of the products provided with this SDS.*